



bio
660 Speedvale Ave. West,
Suite #205, Guelph ON, N1K 1E5

p: 855.246.2333
f: 519.767.2502
www.biotrack.ca

Bull Evaluation Centre Report

201319 KOYLE FARMS BULL TEST

(End of Test)

Test Date: **08 Feb 2013** Days on Test:**119**

Centre Manager: **DWIGHT KOYLE**

Start of Test Date: **12 Oct 2012**

Phone #: **519-764-2697**

End of Test Date: **08 Feb 2013**

EEmail: **cdkoyle@gtn.net**

Pick Up Date:

Address: **R.R.#3, 33429 6TH LN,SOUTHWOLD TWNSHP. , IONA STATION , ON , N0L 1P0**

Ration Statement: **Free choice hay, corn, silage c/w Ken Pal Bull Test developer**

- Note:**
- 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.**
 - 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.**
 - 3. If you have questions on data submission, please contact our office.**

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- ♦ Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- ♦ Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
 - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
 - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
 - Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.
- ♦ Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- ♦ Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ♦ ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- ♦ Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- ♦ BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ♦ ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (lbs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (lbs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (lbs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201319 KOYLE FARMS BULL TEST



Genetic Evaluations (12 Feb 2013)

Tag **0001** Pen Tattoo **DKP 1Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 92% LIMOUSIN** **519-764-2697**
 Birthdate **01Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **KOYLE NAOMI**
 DamSire **DVFC COOKIE MONSTER**

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab				30		37	33	5	63	5	13	
ABC Acc				33 PE		26 45	59 PE	-.73 50	.24 45	-.27 45	-.56 63	N/R
%wb				57		91	83	15	22	35	79	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		810	1270	3.87	3.14	52.0	6.0	4	15.3	14.3	2.02	1.82	PD-A	34.0	32.6

Tag **0002** Pen Tattoo **DKP 2Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 95% LIMOUSIN** **519-764-2697**
 Birthdate **02Jan2012** Colour **RED**
 SireSire **TMF TANKDARD 206T**
 Sire **TMF WESTWOOD 505W**
 Dam **KOYLE TONM-BOY 6T**
 DamSire **TMF LANDMARK 601L**

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab		33	28	44		46	45	7	95	2	9	
ABC Acc		0 PE	.9 PE	36 PE		29 43	65 PE	-.67 48	.70 43	-.32 43	-.85 60	N/R
%wb		17	10	71		95	90	22	89	17	61	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		806	1300	4.16	3.23	53.5	6.8	4	18.0	16.7	1.70	1.54	PD	34.0	32.6

Tag **0004** Pen Tattoo **DKP 4Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 93% LIMOUSIN** **519-764-2697**
 Birthdate **08Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **KOYLE WANDA DKP 2W**
 DamSire **HIGHLAND PREDATOR**

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab						85		30	46	16	19	
ABC Acc						41 42		-.30 47	.04 41	-.17 41	-.25 61	N/R
%wb						99		77	7	77	89	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		712	1245	4.58	3.14	51.0	5.6	5	14.5	13.7	2.09	1.92	PD-A	35.0	33.8

Tag **0005** Pen Tattoo **DKP 5Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 92% LIMOUSIN** **519-764-2697**
 Birthdate **08Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **KOYLE SCARLETTE O"**
 DamSire **EXLR NEW GENERATION 071M**

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab						49		36	53	25	44	
ABC Acc						30 43		-.24 48	.12 42	-.11 42	.47 61	N/R
%wb						95		83	12	92	99	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		944	1425	4.10	3.59	54.0	7.1	6	15.1	14.3	2.48	2.28	PD-A	38.0	36.8

Tag **0006** Pen Tattoo **DKP 6Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 90% LIMOUSIN** **519-764-2697**
 Birthdate **10Jan2012** Colour **RED**
 SireSire **LVLS SECRET WEAPON 4408K**
 Sire **CJSL WINDFALL 9072W**
 Dam **KOYLE TROUBLE MAKER 23T**
 DamSire **AUTO BLACK DAKOTA 129J**

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab						22		31	47	34	13	
ABC Acc						20 39		-.30 44	.05 38	-.07 38	-.56 59	N/R
%wb						81		77	7	96	79	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		775	1245	3.91	3.15	52.0	6.1	5	14.8	14.0	2.51	2.32	PD-A	34.0	32.9

Bull Evaluation EOT Report

201319 KOYLE FARMS BULL TEST



Genetic Evaluations (12 Feb 2013)

Tag **0008** Pen Tattoo **DKP 8Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 92% LIMOUSIN** **519-764-2697**
 Birthdate **10Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **ATJ POLLED PRALINE 3P**
 DamSire **TUBB CROWN'N 7 660L**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
	%ab			24		53	38	57	56	22	10
ABC Acc			31 PE		31 43	62 PE	.18 48	.15 43	-.13 43	-.77 62	N/R
%wb			48		96	87	96	14	87	67	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		954	1430	3.95	3.62	53.0	6.6	8	15.1	14.3	2.52	2.33	PD-A	33.5	32.4

Tag **0010** Pen Tattoo **DKP 10Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 93% LIMOUSIN** **519-764-2697**
 Birthdate **12Jan2012** Colour **BLACK**
 SireSire **TMF TANKDARD 206T**
 Sire **TMF WESTWOOD 505W**
 Dam **DOYLE SOUTHERN COMFORT 18S**
 DamSire **KOYLE TMF PIT BULL 21P**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
	%ab					21		27	77	12	10
ABC Acc					20 42		-.35 48	.38 42	-.20 42	-.77 61	N/R
%wb					79		72	45	66	67	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		822	1250	3.66	3.18	53.5	6.9	4	16.6	15.7	2.02	1.88	PD-A	33.0	32.0

Tag **0014** Pen Tattoo **DKP 14Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 93% LIMOUSIN** **519-764-2697**
 Birthdate **13Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **EF TICKLE MY FANCY 570T**
 DamSire **GPF BLAQUE RULON 163K**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
	%ab					18		21	83	22	8
ABC Acc					19 40		-.42 44	.46 38	-.13 38	-.89 59	N/R
%wb					77		62	58	88	59	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A	ET	730	1155	3.71	2.95	51.5	5.9	4	15.5	14.7	2.37	2.21	PD-A	32.5	31.5

Tag **0017** Pen Tattoo **DKP 17Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 93% LIMOUSIN** **519-764-2697**
 Birthdate **13Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **EF TICKLE MY FANCY 570T**
 DamSire **GPF BLAQUE RULON 163K**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
	%ab					43		46	98	13	18
ABC Acc					28 40		-.09 44	.88 38	-.19 38	-.26 59	N/R
%wb					94		90	97	68	88	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A	ET	805	1285	4.05	3.28	52.0	6.2	6	18.3	17.4	1.95	1.82	PD-A	35.0	34.0

Tag **0021** Pen Tattoo **DKP 21Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 93% LIMOUSIN** **519-764-2697**
 Birthdate **21Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **EF TICKLE MY FANCY 570T**
 DamSire **GPF BLAQUE RULON 163K**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
	%ab					36		18	97	25	15
ABC Acc					26 40		-.46 44	.80 38	-.11 38	-.45 59	N/R
%wb					91		57	95	92	83	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A	ET	805	1280	3.98	3.33	53.5	7.0	4	17.6	16.9	2.49	2.37	PD-A	34.0	33.3

Bull Evaluation EOT Report

201319 KOYLE FARMS BULL TEST



Genetic Evaluations (12 Feb 2013)

Tag **0023** Pen Tattoo **DKP 23Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 92% LIMOUSIN** **519-764-2697**
 Birthdate **22Jan2012** Colour **BLACK**
 SireSire **KAJO RESPONDER 120R**
 Sire **AHCC WESTWIND W544**
 Dam **TMF MISS 605X**
 DamSire **TMF LANDMARK 601L**

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab				23		62	42	36	51	10	23	
ABC Acc				31 PE		33 43	64 PE	-22 48	.10 43	-22 43	-10 61	N/R
%wb				47		97	89	83	10	57	93	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		704	1185	4.05	3.09	51.5	6.0	5	14.6	14.1	1.96	1.87	PD-A	35.0	34.3

Tag **0039** Pen Tattoo **DKP 39Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 50% LIMOUSIN** **519-764-2697**
 Birthdate **27Mar2012** Colour **RED**
 SireSire
 Sire
 Dam
 DamSire

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab						1		32	84	39	10	
ABC Acc						-5 37		-29 43	.46 37	-.04 37	-.80 58	N/R
%wb												

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		585	950	3.00	2.99	47.5	4.9	4	15.5	17.1	2.38	2.73	PD-A	31.0	32.7

Tag **0042** Pen Tattoo **DKP 42Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P 1/2 SIMMENTAL / LIMOUSIN** **519-764-2697**
 Birthdate **31Mar2012** Colour **BLACK**
 SireSire
 Sire
 Dam
 DamSire

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab						1		23	35	16	6	
ABC Acc						-11 37		-40 43	-.09 37	-.17 37	-1.12 58	N/R
%wb												

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		550	880	2.74	2.80	46.5	4.5	4	13.2	14.6	1.83	2.13	PD	30.0	31.9

Tag **0050** Pen Tattoo **MMSL 50Z**
 Contact **DWIGHT P. KOYLE - KOYLE FARMS**
 HC/Breed **P SIMMENTAL** **519-764-2697**
 Birthdate **13Jan2012** Colour
 SireSire
 Sire
 Dam
 DamSire

		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab						4		30	88	39	60	
ABC Acc						6 37		-32 43	.52 37	-.04 37	.78 58	N/R
%wb						1		47	80	68	23	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		950	1315	3.15	3.35	51.0	5.7	4	16.9	16.1	2.45	2.28	PD-A	36.5	35.5



Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
LIMOUSIN	11				806		1025	1200	1279	4.00	3.25	52.5	6.4	5	15.9	15.1	2.19	2.03	34.4
SIMMENTAL	1				950		1100	1265	1315	3.15	3.35	51.0	5.7	4	16.9	16.1	2.45	2.28	36.5
CROSSBRED	2				568		698	825	915	2.87	2.90	47.0	4.7	4	14.3	15.9	2.10	2.43	30.5
Group Averages	14				782		983	1151	1230	3.78	3.20	51.6	6.1	5	15.8	15.3	2.20	2.11	34.0

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.