

# **Bull Evaluation Centre Report**

**202501 FIRST LINE ANGUS** 

(End of Test) Test Date: 01 Mar 2025 Days on Test: 119

Centre Manager: WILL STONEMAN Start of Test Date: 02 Nov 2024

Phone #: 587-873-7257 End of Test Date: 01 Mar 2025

EMail: willstoneman.farming@gmail.com Pick Up Date:

Address: 560 1st Line, R.R.#3, HAGERSVILLE, ON, NOA 1H0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

## A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

## Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

#### Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
  market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
  for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

## Report Definitions and Legend

#### Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

#### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

% IMF & Adj% IMF - Percent Intramus cular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

#### Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (s quare inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

% IMF - Intramus cular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# **Bull Evaluation EOT Report**

## 202501 FIRST LINE ANGUS



				Genetic	Evalu	atio	ns (20	Mar 20	)25)											•	4.4	TAY.
Tag <b>000</b>	1	Pen	Tattoo	FLA 5M			CE	BW	WG	l N	Лilk	PWG	Y	G	FAT		REA	%IMF	5	SC SC	BIO\$	
Contact HC/Breed Birthdate SireSire	A 01Jan	NGUS	- FIRST LINE ANGUS  Colour Black	587-873-7257	%ab ABC / %wb	Acc	89 <b>6</b> 31 69	90 <b>-4.9</b> 54 72	96 <b>62</b> 4 96	4 1	22 1 <b>9</b> 20	99 <b>60</b> 48 97	99 <b>122</b> 98	46	94 <b>1.47</b> 84	51 •	21 <b>18</b> 46 73	98 . <b>66</b> 40 93	6 .9	'2 <b>)1</b> 64	95 <b>4806</b> 93	
Sire	EXAR FIRST	UPSHOT 0562 LINE BARBAR T LINE ARBOU	B RA 37J		CE	BW 71	742	WI 103	SOT 1043	EOT 1483	ADG 3.77		НН 53.0	Frame 6.3	Fat 8	15.0	AdjREA	%lmf / 2.85	Adj%lmf 2.45	Grade PD-A		AdjSC 36.3
Tag <b>000</b>	2	Pen	Tattoo	HLKF 10M			CE	BW	WG	N	Лilk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact HC/Breed Birthdate SireSire	P S 03Jan	IMMENTAL	- HILLOCK FARMS  Colour RED	905-765-2268	%ab ABC / %wb	Acc	42 1 PE 73	45 <b>-1.1</b> PE 76	75 <b>50</b> P 50		27 2 <b>0</b> PE 5	62 <b>36</b> 45 68	71 <b>86</b> 59	PE	57 <b>.26</b> 90	44 -	31 <b>04</b> 39	50 . <b>08</b> зя	9 2.2	99 2 <b>4</b> 59	N/R	
		INGCREEK BLU			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire		SINGER FRANK IINGTON RED I	-		U	104	798		1062	1458	3.40	3.45	53.5	6.6	6	14.1	12.8	1.71	1.48	PD	42.0	39.9
Tag <b>000</b>	3	Pen	Tattoo	FLA 11M			CE	BW	WG	N	Лilk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact HC/Breed Birthdate SireSire	A 03Jan	NGUS	- FIRST LINE ANGUS  Colour Black	587-873-7257	%ab ABC / %wb	Acc	97 <b>8</b> 28 91	96 <b>-6.6</b> 51 90	77 <b>51</b> 4 75	2 2	37 <b>22</b> 8 30	68 <b>37</b> 41 36	75 <b>88</b> 58		92 <b>1.36</b> 76	44	38 . <b>04</b> 38 94	93 <b>.55</b> 38	8 .4	13 1 <b>2</b> 59	79 <b>4050</b> 76	
Sire	SITZ I	RESILIENT 1020 BRIDGE BUXO INEALY BLACK	08 DM MAID 215		CE	BW 74		WI 102	SOT 1019	EOT 1387	ADG 3.19		HH 52.0	Frame 5.8	Fat 9	16.3	AdjREA	%lmf / 2.67	Adj%lmf 2.30	Grade PD-A		AdjSC 34.4
Tag <b>000</b>	4	Pen	Tattoo	FLA 18M			CE	BW	WG	I	Лilk	PWG	Y	G	FAT		REA	%IMF	9	SC	BIO\$	
Contact HC/Breed Birthdate SireSire	A 10Jan	NGUS	- FIRST LINE ANGUS  Colour BLACK R	587-873-7257	%ab ABC %wb	Acc	67 <b>3</b> 30 28	60 -2.1 55 25	54 <b>44</b> 4 48	3 1	9   <b>5</b> 15  4	86 <b>44</b> 47 65	75 <b>88</b> 59		98 <b>1.82</b> 95	50	11 <b>35</b> 45 39	97 . <b>65</b> 49	5 1.4	92 1 <b>9</b> 63 93	48 <b>3250</b> 45	
		UPSHOT 0562 R MAYFLOWER			CE	BW		WI	SOT	EOT	ADG			Frame		REA			Adj%lmf	Grade PD-A		AdjSC 38.1
DamSire	SME	LSER CONSE	ISUS 7C		U	96	684	95	987	1386	3.43	3.33	53.0	6.4	10	13.0	12.0	2.66	2.33	PD-A	40.0	30.1
Tag <b>000</b>		Pen	Tattoo	FLA 19M			CE	BW	WG	N	Лilk	PWG	Y	G	FAT		REA	%IMF	5	SC	BIO\$	
Contact HC/Breed Birthdate SireSire	A 10Jan	NGUS	- FIRST LINE ANGUS  Colour Black	587-873-7257	%ab ABC %wb	Acc	73 <b>4</b> 31 35	69 <b>-2.8</b> 55 35	71 <b>49</b> 4 68	4 2	55 2 <b>5</b> 17 52	98 <b>59</b> 47 96	95 <b>108</b> 90	46	93 <b>1.41</b> 81	47	6 <b>45</b> 41 20	. <b>47</b> 48	1 1.3	90 8 <b>8</b> 61 90	72 <b>3861</b> 69	
		IGSON ROUGH			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
		TALL F LADY J TOUR OF DUT			U	91	763	106	1026	1481	4.02	3.56	52.0	5.9	9	13.4	12.3	2.84	2.49	PD-A	39.5	37.6

Page: 4 of 7 26Mar2025

# **Bull Evaluation EOT Report**

## 202501 FIRST LINE ANGUS



Genetic Evaluations (20 Mar 2025)

				Genetic	Evalu	atior	าร (20	Mar 20	)25)											•	-	1
Tag <b>000</b>	6	Pen	Tattoo	FLA 20M			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
Contact V HC/Breed Birthdate 1 SireSire	A 11Jan	NGUS	N - FIRST LINE ANGUS  Colour Black	587-873-7257	%ab ABC / %wb		87 <b>5</b> 25 63	84 <b>-4.1</b> 55 59	40 <b>40</b> 33	42 2	71 <b>28</b> 16 71	39 <b>30</b> 46 11	38 <b>70</b> 18	44	55 <b>.20</b> 1	49	22 <b>16</b> 44 75	94 . <b>57</b> 4	4 .0	7 <b>3</b> 62 6	40 <b>3050</b> 37	
Sire /	A & B	FERGUSON LINE ELBA	6186		CE	BW	AWW		SOT	EOT	ADG			Frame			AdjREA		Adj%lmf	Grade PD-A	SC 34.5	AdjSC 32.7
DamSire	R B	TOUR OF DU	TY 177		U	88	698	97	950	1307	3.08	3.15	50.0	4.9	3	15.0	13.7	2.28	2.01	PD-A	34.5	32.1
Tag <b>000</b> 7	7	Pen	Tattoo	FLA 32M			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
HC/Breed Birthdate (	A 09Feb	NGUS 2024	N - FIRST LINE ANGUS  Colour BLACK	587-873-7257	%ab ABC %wb		82 <b>5</b> 18 53	69 <b>-2.8</b> 49 35	80 <b>52</b> 78	33 2	71 <b>28</b> 6 71	93 <b>49</b> 39 81	91 <b>101</b> 83	36	78 <b>.98</b> 35	43	28 08 37 86	79 . <b>44</b> 3 33	7 <b>1.0</b> 7	9 58	79 <b>4056</b> 76	
SireSire Sire (		NEALY PAYI FORD GUAF	RAISE RANTEE 9137		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam No		ERCROFT VI			U	84	751	104	898	1348	3.72	3.49	51.0	5.7	7	14.8	14.2	2.15	2.03	PD-A	37.0	36.2
Tag <b>0008</b>	8	Pen	Tattoo	FLA 37M			CE	BW	WG	I	Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
Contact N HC/Breed Birthdate 1 SireSire	A 16Feb	NGUS	N - FIRST LINE ANGUS  Colour BLACK	587-873-7257	%ab ABC / %wb		98 <b>9</b> 28 94	99 <b>-8.1</b> 56 96	61 <b>46</b> 56	41 2	50 <b>24</b> 13 45	80 <b>41</b> 46 53	74 <b>87</b> 56	44	71 <b>.76</b> 16	49	2 <b>59</b> 43	97 <b>.64</b> 4	3 <b>3</b>	6 <b>3</b> 62 2	48 <b>3262</b> 45	
Sire I	First L	ine Ferguson LINE QUEEN RESPOND 1	n 2J N 5F		CE	BW 81	709	WI 98	SOT 882	EOT 1276	ADG 3.34		HH 51.0	Frame 5.8	Fat 5	12.2	-	%lmf / 2.58	Adj%lmf 2.48	Grade PD-A	SC 31.5	AdjSC 31.0
Tag <b>000</b> 9	9	Pen	Tattoo	FLA 41M			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
Contact N HC/Breed Birthdate 2 SireSire	A 20Feb	NGUS	N - FIRST LINE ANGUS  Colour BLACK	587-873-7257	%ab ABC %wb		98 <b>9</b> 26 95	99 <b>-8.1</b> 53 96	48 <b>42</b> 41	38	37 <b>22</b> 9 30	84 <b>43</b> 44 60	70 <b>85</b> 52	41	92 <b>1.34</b> 75	48	5 <b>48</b> 42 14	97 . <b>62</b> 4:	8 2 <b>1.0</b> 7	<b>7</b> 61	56 <b>3485</b> 52	
Sire I	First L	ine Ferguson /ENING TING	n 2J		CE	BW 73	AWW 679	WI 94	SOT 801	EOT	ADG 3.54		HH 49.5	Frame 5.1	Fat	REA 12.8	-	%lmf 2.17	Adj%lmf	Grade PD-A	SC 37.0	AdjSC 36.6
DamSire	PEA	K DOT PIONI	EER 124B			7.5	073	04	301	1212	0.04	0.20	.0.0	0.1	0	12.0	12.0	2.17		, D A	30	
Tag 0010		Pen	Tattoo	KAJH 1M			CE	BW	WG		Milk	PWG	Y	-	FAT		REA	%IMF	-	SC	BIO\$	
HC/Breed Birthdate ( SireSire	A 01Jan	NGUS 2024	Colour Black		%ab ABC %wb		67 3 PE 28	64 <b>-2.4</b> PE 29	9 <b>27</b> 3	PE :	63 <b>27</b> PE 61	53 <b>33</b> 42 22	23 <b>60</b> 7		82 <b>1.07</b> 45	45	13 33 39 44	92 . <b>55</b> 3 75	9 <b>.8</b> 5	<b>1</b> 59	N/R	
Sire [	DOUB	LE AA OLD I	POST BANDOLIER		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
		ROOK ANNII N ISLAY MAF			U	80	670		961	1347	3.26	3.17	52.5	6.0	9	14.3	12.9	3.28	2.82	Α	37.0	34.8

# **Bull Evaluation EOT Report**

DamSire GF THE BARTENDER 824

## **202501 FIRST LINE ANGUS**



			Genetic	Evalua	atior	ns (20	Mar 2	025)											<b>V</b>		
Tag <b>0011</b>	Pen	Tattoo	KAJH 6M			CE	BW	WG	N	Лilk	PWG	Y	'G	FAT		REA	%IMI	F S	SC	BIO\$	
HC/Breed A	ERON HILL - H ANGUS n2024	ILLBROOK CATTL Colour Black	LE CO.	%ab ABC A %wb	сс						1 -2 38				44 -	15 <b>29</b> 37	70 . <b>34</b>	370	6 <b>1</b> 58	N/R	
	-	DOLENE 50'08		%WD							1			29		52	8		5		
	JRY BARDOLE			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	N ISLAY ANNIE NNIE CHANCE	K 15C BARDOLENE 10A		U	88	630		840	1092	2.11	2.69	49.5	4.7	7	14.2	13.2	1.85	1.66	PD	34.5	33.0
Tag <b>0012</b>	Pen	Tattoo	CSF 17M			CE	BW	WG	N	Лilk	PWG	Y	'G	FAT		REA	%IMI	F S	SC	BIO\$	
	HEW BATTY - I SHORTHORN	BATTY LAND AND	LIVESTOCK 519-372-6362	%ab ABC A	сс						10 <b>14</b> 38			55 . <b>19</b>	43 -	11 36 37	68 . <b>32</b>		5 <b>5</b> 58	N/R	
	b2024 OOKED POST	Colour White STOCKMAN 4Z		%wb							20			16		84	63	2	2		
Sire DRS	SUPER MARIC	) 42E		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	UFLER ZENA E			U	88	718		907	1229	2.75	3.18	51.5	6.0	4	13.8	13.3	2.03	1.91	PD-A	32.5	31.7

Page: 6 of 7 26Mar2025

#### 202501 FIRST LINE ANGUS



Genetic Evaluations (20 Mar 2025)

# **Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	10	100	83	706	941	1033	1129	1233	1332	3.35	3.28	51.4	5.7	8	14.1	13.1	2.53	2.27	36.6
SIMMENTAL	1	100	104	798	1062	1167	1276	1377	1458	3.40	3.45	53.5	6.6	6	14.1	12.8	1.71	1.48	42.0
SHORTHORN	1	100	88	718	907	967	1049	1128	1229	2.75	3.18	51.5	6.0	4	13.8	13.3	2.03	1.91	32.5
Group Averages	12	100	85	715	948	1038	1135	1236	1334	3.30	3.28	51.5	5.8	7	14.1	13.1	2.42	2.17	36.7

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any dain brought by the purchaser and/or user in relation to such services.