

# **Bull Evaluation Centre Report**

202504 CRYSTAL FARMS BULL GROUP (End of Test) Test Date: 23 Mar 2025 Days on Test: 112

Centre Manager: PAUL FERGUSON Start of Test Date: 01 Dec 2024

Phone #: 613-275-2422 End of Test Date: 23 Mar 2025

EMail: ferguson.maryellen@gmail.com Pick Up Date:

Address: 21 CRYSTAL RD.,R.R. #3, JASPER, ON, K0G 1G0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

## A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

## Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

#### Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
  market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
  for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

## Report Definitions and Legend

### Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

#### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

% IMF & Adj% IMF - Percent Intramus cular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

### Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (s quare inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

% IMF - Intramus cular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# **Bull Evaluation EOT Report**

## 202504 CRYSTAL FARMS BULL GROUP



Genetic Evaluations (02 Apr 2025)

	Genetic	Evalu	atior	ns (02	Apr 20	)25)											•	-	
Tag <b>002M</b> Pen Tattoo	OOAK 2M			CE	BW	WG		Milk	PWG	Y	′G	FAT		REA	%IMI	=	SC	BIO\$	
Contact NICHOLAS BOYD - ONE OAK BLONDES HC/Breed P BLONDE D-AQUITAINE Birthdate 03Feb2024 Colour SireSire ARSHAS POLLED TROOPER 67T	519-835-9099	%ab ABC A %wb		17 <b>-2</b> PE 41	22 . <b>9</b> PE 38	39 <b>40</b> 81	PE	26 <b>20</b> PE 47	3 <b>3</b> 46 17	43 53	PE -	1 <b>1.12</b> i	PE	95 . <b>73</b> PE	1 35	PE <b>-1</b>	1 . <b>29</b> PE 37	N/R	
Sire DEEBRAN PLD JAIL BREAKER 28Y		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%ln	nf Grade	, SC	AdjSC
Dam VAN BAKEL BLONDES ELYSE 30E DamSire IMP DRUK URIAH 6304		Е	98	N/A		775	1125	5 3.11	2.72										
Tag <b>004M</b> Pen Tattoo	PFER 4M			CE	BW	WG		Milk	PWG	Y	'G	FAT		REA	%IMI	=	SC	BIO\$	
Contact PAUL FERGUSON - CRYSTAL FARMS HC/Breed P BLONDE D-AQUITAINE Birthdate 16Jan2024 Colour	613-275-2422	%ab ABC A %wb		64 <b>3</b> 37 90	76 -3.3 60 90	21 <b>34</b> 57	51	42 <b>23</b> 22 66	1 -5 48 1	29 16	50					-1	3 .08 PE 61	N/R	
Sire Sire DUSTY ACRE COLBY 129C Sire DUSTY ACRE FINALLY 25F Dam CRYSTAL HILARY 22H		CE	BW 85	AWW 583	WI 92	SOT 900	EOT	ADG 5 2.75	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%In	nf Grade	, SC	AdjSC
DamSire WSS CELEBRATION 2C		0	00	303	92	300	1220	2.73	2.04										
Tag <b>005M</b> Pen Tattoo	CBO 5M		_	CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMI	=	SC	BIO\$	
Contact CHRIS LAWTON - JOCK TRAIL FARMS HC/Breed P SIMMENTAL Birthdate 10Jan2024 Colour RED	613-314-2915	%ab ABC A %wb	VCC		15 <b>1.8</b> PE 27	91 <b>58</b> 79	PE		97 <b>54</b> 41 97	96 <b>112</b> 93	PE PE							N/R	
SireSire         CDI AUTHORITY 77X           Sire         KWA ROOSEVELT 63F           Dam         ARKACY BECKY           DamSire         TRIPLE ROSE ZZ UPGRADE		CE	BW 90	AWW N/A	WI	SOT 1100	EOT	-	WPDA 3.65	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%In	nf Grade	s SC	AdjSC
				-	5111				511/6							_		DIOC	
Tag 018M Pen Tattoo  Contact David and Lisa Payne - BAR K FARMS	GTN 18M			CE 22	BW	WG		Milk	PWG		'G	FAT		REA	%IMI	-	SC	BIO\$	
HC/Breed P BLONDE D-AQUITAINE Birthdate 21Jan2024 Colour	613-859-9870	%ab ABC A %wb		<b>-1</b> 39 51	43 9 60 66	81 <b>52</b> 98	51	66 <b>27</b> 26 88	8 <b>12</b> 50 57	28 <b>6</b> 4 92	<b>.</b> 51					-	4 . <b>97</b> PE 72	N/R	
SireSire DUSTY ACRE COLBY 129C Sire DUSTY ACRE FINALLY 25F Dam WSS YTTRIUM 3Y		CE E	BW 90	731	WI	SOT 1000	EOT	ADG 5 3.71	WPDA 3.34	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%In	nf Grade	s SC	AdjSC
DamSire CRYSTAL MR UNIVERSE 38U																			
Tag 034M Pen Tattoo	PFER 34M			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMI	=	SC	BIO\$	
Contact PAUL FERGUSON - CRYSTAL FARMS HC/Breed P BLONDE D-AQUITAINE Birthdate 25Mar2024 Colour	613-275-2422	%ab ABC A %wb	CC	61 <b>3</b> 35 90	77 <b>-3.4</b> 58 91	61 <b>46</b> 93	49	28 <b>20</b> 22 50	9 <b>13</b> 48 61	21 <b>58</b> 85	<b>3</b> 49					-1	3 .08 PE 61	N/R	
Sire DUSTY ACRE COLBY 129C Sire DUSTY ACRE FINALLY 25F		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%In	nf Grade	, SC	AdjSC
Dam LANGSTAFF GABBY 2G DamSire WSS DESPERADO 2D		U	85	679	108	860	1250	3.48	3.44										

02Apr2025 Page: 4 of 6

## **Bull Evaluation EOT Report**

## 202504 CRYSTAL FARMS BULL GROUP



### Genetic Evaluations (02 Apr 2025)

			30110110			- (0	٠,	,													
Tag <b>458M</b>	Pen	Tattoo	BOM 458M		С	E	BW	WG		Milk	PWG	Y	'G	FAT		REA	%IMF	S	C	BIO\$	
Contact ANDREW BUNDA - BUNDA BLONDES				%ab	3	6	33	56	٠.	19	22	34	L								
	BLONDE D-AQ		613-252-3327	ABC Ad	cc 1	<b>1</b> PE	<b>1</b> PE	44 F	E .	18 PE	<b>23</b> 44	68	PE							N/R	
Birthdate <b>04Fe</b>	-	Colour		%wb	7'	1	53	91	;	38	95	95	5								
SireSire WS	SS CELEBRATI	ION 2C																			
Sire BAR	K KRYPTONIT	ΓE 05K		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	I JULIETTE 587	-		U	92	N/A		760	1200	4.04	2.91										
DamSire BO	M FERDINAND	749F			<u></u>	,, .			00		01										

#### 202504 CRYSTAL FARMS BULL GROUP



Genetic Evaluations (02 Apr 2025)

## **Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
BLONDE D-AQUITAINE	5	60	90	664	859	965	1073	1150	1245	3.42	3.05								
SIMMENTAL	1	100	90		1100	1220	1375	1465	1600	4.45	3.65								
Group Averages	6	67	90	664	899	1008	1123	1203	1304	3.59	3.15								

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedignee used in calculations is provided by the client. The information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any dain brought by the purchaser and/or user in relation to such services.

02Apr2025 Page: 6 of 6