

Bull Evaluation Centre Report

202506 Posthaven Bulls Group 2B (End of Test) Test Date: 30 Apr 2025 Days on Test: 110

Centre Manager: E. JOHN POST Start of Test Date: 10 Jan 2025

Phone #: 519-846-9320 End of Test Date: 30 Apr 2025

EMail: ejpost@posthavenlimousin.com Pick Up Date:

Address: 7396 20 SIDEROAD.,R.R. #2, ALMA, ON, NOB 1A0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
 market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
 for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

% IMF & Adj% IMF - Percent Intramus cular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (s quare inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

% IMF - Intramus cular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

202506 Posthaven Bulls Group 2B



			Genetic	Evalu	atior	ns (20	May 20	025)												44	Y
Tag 002M	Pen	Tattoo	DFMG 2M			CE	BW	WG	N	/lilk	PWG	Y	G	FAT		REA	%IMF	: 5	SC	BIO\$	
Contact DALE HC/Breed P AN Birthdate 25Apr2 SireSire	613-395-2079	%ab ABC A %wb	VCC .						70 38 37 39			94 1.46 82	43	4 54 37	98 . 69 3 96	7 1.2	34 2 0 58	N/R			
Sire Sam				CE	BW 80	AWW N/A	WI	SOT 928	EOT 1324	ADG 3.51		HH 52.0	Frame		REA 13.3	AdjREA	%lmf 4.54	Adj%lmf	Grade	SC 38.5	AdjSC
DamSire					- 00	I W/A		320	1024	0.01	3.30	52.0	0.4	12	13.3	10.2	7.04	7.70	AA	00.0	1 22.2
Tag 004M	Pen	Tattoo	DFMG 4M			CE	BW	WG	N	/lilk	PWG	Y	G	FAT		REA	%IMF	: (SC	BIO\$	
Contact DALE HC/Breed P AN Birthdate 30May SireSire	NGUS	RAN-JOU FARMS Colour Black	613-395-2079	%ab ABC A %wb	vcc						94 50 37 83			96 1.54 87	43	1 76 37	63 .21 3	7 .9	72 93 58	N/R	
Sire				CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire				U	85	N/A		844	1279	3.97	3.82	53.5	7.7	12	11.6	12.2	1.76	1.92	PD	36.5	37.6
Tag 008M	Pen	Tattoo	AGE 8M			CE	BW	WG	N	1ilk	PWG	Y	G	FAT		REA	%IMF	: (SC SC	BIO\$	
Contact				%ab ABC A		68 3 18	78 - 3.5 48	8 26 F	PΕ		4 5 43	4 31 6	PE	1 94 3	48	97 .81 42	1 24 4		8 69 61	N/R	
SireSire POSTHAVEN P BALDERDASH Sire POSTHAVEN P DOBI Dam ELMGROVE FANNY				CE	BW 81	AWW 721	WI	SOT 813	EOT 1108	ADG 2.74	WPDA		Frame	Fat	REA 17.4	AdjREA		Adj%lmf	Grade	SC 33.0	AdjSC
DamSire TMF	WELDON 727V	1																			
Tag 014M	Pen	Tattoo	DFMG 14M			CE	BW	WG	N	/lilk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact DALE E. GRANT - GRAN-JOU FARMS HC/Breed P ANGUS 613-395-2079 Birthdate 12May2024 Colour Black				%ab ABC A %wb	VCC .						89 46 37 72			98 1.74 93	43	20 20 37 71	83 . 47 3 46	7 .3	39 3 58 6	N/R	
SireSire Sire				CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire				U	80	N/A		862	1274	3.82	3.61	52.0	6.7	13	14.9	15.3	3.24	3.35	Α	35.0	35.4
Tag 207M	Pen	Tattoo	PEJ 207M			CE	BW	WG	N	/lilk	PWG	Y	G	FAT		REA	%IMF	: 5	SC SC	BIO\$	
Contact E. JOHN POST - POSTHAVEN FARM HC/Breed P 100% LIMOUSIN 519-846-9320 Birthdate 15May2024 Colour RED				%ab ABC A %wb	cc	57 2 20 35	75 -3.2 50 64	13 30 F 20	PE		31 27 41 91	19 57 66	PE .	1 -1.40 1	45	90 .61 38 81	1 21 3	7 -1.3	1 39 59	N/R	
	THAVEN HOUT HAVEN KIRKLA			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam DENISON GOLDEN STATE DamSire HARVEST OLYMPUS				U	88	752		866	1297	3.96	3.71	53.5	7.4	3	17.0	17.5	1.53	1.60	PD	30.5	31.0

20May2025 Page: 4 of 6

Bull Evaluation EOT Report

202506 Posthaven Bulls Group 2B



Genetic Evaluations (20 May 2025)

						- (,													
Tag 208M	Pen	Tattoo	PEJ 208M		С	E	BW	WG		Milk	PWG	YC	3	FAT		REA	%IMF	5	C	BIO\$	
Contact E. JOH	HN POST - PC	STHAVEN FARM		%ab	5	2	53	1		21	1	1		17		66	1		1		
HC/Breed P			519-846-9320	ABC A	cc 2	2 20	-1.6 50	16	PE	19 PE	-25 45	-9	PE	36 P	E.	.32 PE	20 ₽	 	8 PE	N/R	
Birthdate 28May	/2024	Colour RED		%wb																	
SireSire POS	THAVEN POL	LED XACT																			
Sire POST	HAVEN P ZAN	MBUKA		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH F	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
Dam BROW	VN EDEN BEL	LA		11	90	N/A	ET	625													
DamSire DEN	ISON POLLEI	D PUB		U	90	IN/A	I	023													

202506 Posthaven Bulls Group 2B



Genetic Evaluations (20 May 2025)

Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	3	100	82		878	1017	1172	1225	1292	3.77	3.67	52.5	6.9	12	13.3	13.6	3.18	3.25	36.7
LIMOUSIN	2	100	85	737	840	936	1062	1134	1203	3.35	3.52	53.3	7.4	4	17.2	18.1	1.50	1.60	31.8
	1	100	90		625	710	746	795		.00	.00								
Group Averages	6	100	84	737	823	939	1064	1123	1256	3.60	3.61	52.8	7.1	9	14.8	15.4	2.51	2.59	34.7

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedignee used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any dain brought by the purchaser and/or user in relation to such services.

20May2025 Page: 6 of 6